



Surprise Trim Continuous Ceiling


Surprise / Recessed




2" wide



2 1/2" wide



3" wide



archlit reserves the right to make changes without prior notice. (08.17.2017)

Recessed Continuous Trim system to use at ACT, drywall, stone, wood or metal panels ceilings. Continuous front diffuser of 2", 2 1/3" or 3" wide, depth of 3". Possibility of generation of angles, 90 degrees or custom (please consult factory), T and X.

CRI more than 90 LED. Dimmable 0-10v, and TRIAC versions.

SuTrCeVa

Trim Ceiling Variable

Width

- 2Wi - 2" width
- 2.5Wi - 2 1/2" width
- 3Wi - 3" width

Lumen Output

- 40 - 4000 K 575 lumens 5.5 w per foot
- 65 - 6500 K 590 lumens 5.5 w per foot
- 27 - 2700 K 548 lumens 5.5 w per foot
- 30 - 3000 K 564 lumens 5.5 w per foot

Runs

- A - 1' nominal module
- B - 2' nominal module
- C - 3' nominal module
- D - 4' nominal module
- H - 8' nominal module

Total Run: (0 ft 0 in)

Specify qty if part of a shape with connectors (and runs are equal.

If runs are different, include connectors in a run and take the runs as linear

Advice to factory in this case

Connectors

- XC - X conector
 - TC - T connector
 - LC - L connector
- Please specify qty per type
linear runs, no need of connectors

Finish

- WH - White
 - BK - Black
 - CU - Custom Color
- Specify RAL number

Dimming Options

- 0 - Non dimmable 120v
- 1 - non dimmable 277v
- 2 - DIM TRIAC 120 v
- 3 - DIM TRIAC 277 v
- 4 - 0-10 v dimmer (4 wires)

Surprise Trim Continuous Ceiling

Surprise / Recessed

Emergency





00 - No Emergency

EM - Emergency 4' nominal

Notes:



Drivers are remote

MacAdam 3. More than 90 CRI





Surprise Trim Continuous Ceiling

Surprise / Recessed





ACT, Drywall, other ceilings
Add 3" per side for connectors




Surprise Trim Continuous Ceiling


Surprise / Recessed



Remote Drivers



Driver Box for Dimm 0-10v
NTS



Driver Box Non Dimm and TRIAC drivers
NTS